ORIGINAL

BLAIR, JOYCE & SILVA

ATTORNEYS AT LAW

1825 K STREET, N.W. WASHINGTON, D.C. 20006

Oct 26 4 02 PM '92

CABLE ADDRESS FEDLAW

TELEPHONE (202) 659-4230

AUDIO SERVICES DIVISION

RECEIVED

October 23, 1992

OCT 23 1992

Ms. Donna Searcy Federal Communications Commission 1919 M Street, N.W. Washington, DC 20554 FEDERAL COMMUNICATIONS COMMISSION OFFICE OF THE SECRETARY

Re: WMUL(FM)

Huntington, WV

Application For Major Change To

Licensed Noncommercial FM

Station

Dear Ms. Searcy:

TELECOPIER (202) 872-0409

Transmitted herewith, in triplicate, on behalf of the University of West Virginia Board of Trustees ("UWVBOT"), Licensee of WMUL(FM), Huntington, West Virgina, is an Application For Major Change To Licensed Noncommercial FM Station (FCC Form 340), filed in response to the Commission's Public Notice, Report No. A-243, released September 22, 1992. UWVBOT's application is mutually exclusive with the application of Positive Alternative Radio, Inc. for Point Pleasant, West Virginia (See File No. BPED-920327MH).

Since UWVBOT is a noncommerical, educational broadcaster, no filing fee is required.

Should there be any questions concerning this filing, please communicate directly with this office.

Very truly yours,

Shaun A. Maher

Enclosures (3)

EM EXAMINERS

26. M se e 12 m

RECEIVED

MM 97

3060-0034 Expires 11/30/94 See Page 23 for information regarding public burden estimate

APPLICATION FOR CONSTRUCTION PERMIT FOR NONCOMMERCIAL EDUCATIONAL BROADCAST STATION

(Carefully read instructions before filing form)

Return only form to FCC

<i>(</i>			•	 î	F .	Α		
ل	:	ì	ì	į		A	Ĺ.,	FB 6

Section I - GENERAL INFOR	ONICHNAL RMATION	For Commission Use BPED-921 File No.		
1. Name of Applicant Univers West Virginia Board	ite et EIVED	Send notices and communications at the address below:		ring person
	OCT 2 3 1992	Charles Bailey (
Street Address or P.O. Box Financial University	EDERAL COMMUNICATIONS COMMISS OFFICE OF THE SECRETARY	ON Street Address or P.O. Box 400 Hal Greer Blvd.		
City Huntington	State ZP Code WV 25755	Cmy Huntington	State WV	ZP Code 25755
Telephone No. I include Area todel (304) 696-2294		Telephone, No. 4 Include Area Code (304) 696-2294	ī	
2. This application is for:	AM	X FM	τν	
(a) Channel No. or Frequency	(b) Princip	City		State
201B1	Comm			WV
MAJOR modification of construction p	construction permit; call sign: permit: construction permit; call sign:			
File No. of construction	permit:			
AMENDMENT to pending	application; application file nu	umber:	·····	
·	•	eviously filed application. Should y that contain the amended information	•	wever, please
3. Is this application mutually exclus	ive with a renewal applicatio	n?		Yes X
88.1MHZ BPED -921023MB WM	.ui			
HUNTINGTON THE UNIV. OF W. VA B	~WV :	Community of License	State	
THE CHAPTER OF HE TA				_]

(*): cc; Shaun A. Maner, Esq. Blair, Joyce & Silva 1825 K Street, N.W.; Suite 510 Washington, DC 20006

FCC 340

February 1992

Suite 800

ENGINEERING REPORT

5203 Leesburg Pika Falls Church, Virginia 22041

ENGINEERING EXHIBIT

SUPPORTING THE APPLICATION

OF

WEST VIRGINIA BOARD OF TRUSTEES

TO CHANGE THE FACILITIES

OF

WMUL(FM)

AT

HUNTINGTON, WEST VIRGINIA

FM Channel: 201B1

: 9.0 kW (omnidirectional) ERP

HAAT

: -12 meters



ENGINEERING REPORT

5203 Leesburg Pike Falls Church, Virginia 22041

West Virginia Board of Trustees Huntington, West Virginia

ENGINEERING STATEMENT

This Engineering Exhibit was prepared on behalf of West Virginia Board of Trustees, licensee of Educational FM station WMUL(FM), Huntington, West Virginia.

WMUL(FM) presently operates on Channel 201A employing an omnidirectional antenna system which produces 1.15 kW of ERP at -17 meters HAAT.

The purpose of this exhibit is to supply information in support of a construction permit to change to a Class B1 facility. The proposed antenna system will employed an omnidirectional antenna which produces 9.0 kw of ERP at -12 meters HAAT.

This application is considered to be mutually exclusive with an application (BPED-920327MH) filed by Positive Alternative Radio, Inc. to serve Point Pleasant, West Virginia on Channel 201A.

The exhibits referred to on Section V-B are attached as follows:

: Antenna Sketch

Exhibit 2 : Other Stations within Transmit Area Exhibit 3-A - 3-B : Site Maps Exhibit 4 : Proposed Coverage Map Exhibit 5 : Present and Proposed Coverage Map Exhibit 6-A - 6-B : Allocation Study Exhibit 7-A - 7-B : TV Channel 6 Exhibit 8 : Environment Statement Exhibit 9 : Vertical Pattern Table 1 : FM Stations with 10 kilometers : TV stations with 10 kilometers Table 2 Table 3 : Channel study of 201B1 Table 4 : Distance to proposed coverage & interference contours : TV Channel 6 stations within 265 kilometers Table 5

Exhibit 1

<u>,</u>								
				I _		ON USE ONLY		
Section \	V-B - FM BROA	DCAST ENG	INEERING DATA		No.			
		2.72		ASE	3 Referral D	Date		
Name of Applica	ant			Ref	erred by			
	inia Board of	Trustees						
Call letters (if		11006669	T					
WMUL			Is this application	n being filed	in response	to a window	, []	Yes XX No
WITOD			If Yes, specify	closing date:				
urpose of App	olication: I check ap	propriate best	(es))					
Constru	uct a new (main) fa	cility		Construc	t a new au	xiliary facility		
Modify	existing construction	on permit for	main facility	Modify e	existing con	struction perm	nit for auxili	iary facility
XX Modify	licensed main facil	ity		Modify I	licensed aux	ciliary facility		
f purpose is to	o modify, indicate b	elow the natu	ure of change(s) and	specify the	file number(s) of the auth	orizations a	ffected.
Antenn	a supporting-structu	ure height		XX Effective	radiated p	ower		
XX Antenn	a height above aver	age terrain		Frequenc	у			
Antenn	a location			XX Class				
Main S	tudio location			Other /	Summerize br	riefly?		
File Number	(s) BLED - 890	0914KA						
1. Allocation:								
Oharrat Mi	<u> </u>	D -1				Class I che	ck only one	box below!
Channel No.	City	Principal co	County	ed:	State		xx B1	В
201	Huntington		Cabell	•	WV			
	1	·····		 	<u> </u>	C2	C1	
2. Exact location								
	ddress, city, county			•	_			or landmari
Science H	all, Marshall	Universit	y, Huntington	, Cabell (County, V	West Virgi	nia	
	ical coordinates (to							
	e, specify tower lo ngitude will be pres		y South Latitude or	East Longitud	e where ap	oplicable; other	wise, North	Latitude or
Latitude	0	,		Longitude		0	,	~
	38	25	26		82		25	39
3. Is the suppo application(s	orting structure the)?	same as that	of another station(s) or proposed	d in another	pending		Yes X
If Yes, give	call letter(s) or file	s number(s) o	r both.					
•	involves a change i	-	n existing structure	, specify exis	ting height a	above ground	level includi	ng antenna,
all other ap	purtenances, and lig	hting, if any,						
			-					

Latitude			Longitude	0		•	•
If Yes	FAA been notified of the proposed col give date and office where notice was nination, if available.		h as an Exhibit :	a copy of FA	A		Yes XX No
Date _	Office w	there filed					
6. List all	landing areas within 8 km of antenna sit	e. Specify dist	ance and bearing	from struct	ure to nea	rest point	of the nearest
	Landing Area	Dis	tance (km)		Веа	ring (degre	es True)
(a)	Chesapeake		5.4		····	264.5	
(b)	Tristate Airport	1	1.9			236	
7. (a) Elev	vation: Ite the neerest meter?						
(1)) of site above mean sea level;					168	meters
(2)	of the top of supporting structure abov appurtenances, and lighting, if any); and	e ground (inclu	iding antenna, all	other		48	meters
(3)) of the top of supporting structure abov	e mean sea lev	vel [(a)(1) + (a	iX2)]		216	meters
(b) He	eight of radiation center: Ite the nearest	eter) H = H	lorizontal; V = 1	Vertical			
(1)) above ground					43	meters (
						43	meters (
(2) above mean sea level [(aX1) + (bX1)]				211	meters (
					•	211	meters (
(3) above average terrain					-12	meters (
						-12	meters (
in Qu	as an Exhibit sketch(es) of the supportinestion 7 above, except item 7(bX3). If maked in the supporting the sup	ounted on an a	AM directional-a	irray element,			Exhibit No.
	ive Radiated Power:						
	P in the horizontal plane		_	9.0	. kw (H¥)	9.0	kw (V#)
(b) is	beam tilt proposed?					L	Yes XX N
	Yes, specify maximum ERP in the plane of exational plot of radiated field.	of the tilted be	•	as an Exhibit	•		Exhibit No.
*P	olarization	· · · · · · · · · · · · · · · · · · ·	`~ \ ^{\\\} \' _		. NW (V^)		

10.	s a directional antenna proposed?				Yes XX No
	If Yes, attach as an Exhibit a statement with all data to plot(s) and tabulations of horizontally and vertically pofield.				Exhibit No.
i 1.	Will the main studio be located within the 70 dBu or 3	3.16 mV/m (ontour?		XX Yes No
	If No, attach as an Exhibit justification pursuant to 47	C.F.R. Section	73.1125.		Exhibit No.
12.	Are there: (a) within 60 meters of the proposed a transmitters, or any nonbroadcast lexcept citizens be blanketing contour, any established commercial or facilities, or populated areas; or (c) within ten (10) killing or authorized FM or TV transmitters which may produce	nd er easter government liometers of	r) radio stations; or receiving stations, the proposed antenn	(b) within the cable head-end a, any proposed	XX Yes No
	If Yes, attach as an Exhibit a description of any expectiseps to be pursued if necessary, and a statement accomplectionable interference (including that caused by refacilities in existence or authorized or to radio received 47 C.F.R. Sections 73.315161, 73.316161 and 73.318.1	epting full re ceiver-induct	sponsibility for the e	imination of any formodulation) to	Exhibit No.
13.	Attach as an Exhibit a 7.5 minute series U.S. Geologic clearly, legibly, and accurately, the location of the proposith the requirements set forth in Instruction D for Se display the original printed contour lines and data as bear a scale of distance in kilometers.	posed transmection V. Fur	itting antenna. This mather, the map must c	nap must comply learly and legibly	Exhibit No.
14.	Attach as an Exhibit Iname the seurcel a map which soriginal printed latitude and longitude markings and a so		•	ely, and with the	Exhibit No.
	(a) the proposed transmitter location, and the radials alo	ong with pro	file graphs have been	prepared;	
	(b) the 1 mV/m predicted contour and, for none commercial channel, the 3.16 mV/m contour; and	commercial (educational applicants	applying on a	
	(c) the legal boundaries of the principal community to	be served.			
15	Specify area in square kilometers (1 sq. mi, = 2.59 predicted 1 mV/m contour.	sq. km) and	population (latest co	ensus) within the	
	Area 984 sq. km. Po	opulation	145,622	_	
16	Attach as an Exhibit a map (Sectional Aeronautical chaposed 1 mV/m (60 dbu) contours.	erts where ob	teineble/showing the	present and pro-	Exhibit No.
	-	ain Area oss Area	246 	_ sq. mi. _ sq. mi.	
	Percent change (gain area plus loss area as percentage of 50% or more this constitutes a major change. Indic	•		_ %. ccordingly.	

(b) the 1 mV/m c		which the applied-for facility will be auxiliary. See 47 C.F.R. Section 73.1675. (File	
Terrain and covers	age data ito be colculated in occordance o	ith 47 C.F.R. Section 73.3131.	
Source of terrain	n data: Icheck enly ene bez beleel		
XX Linearly inte	rpolated 30-second database	7.5 minute topographic map	
(Source:]	NGDC (TPG-0050)		
Other Ibria	ifly summarized		
Radial bearing	Height of radiation center above average elevation of radial from 3 to 16 km	Predicted Distances to the 1 mV/m contour	
(degrees True)	(meters)	(kilometers)	
0	-32 #	17.7	
45	- 8 #	17.7	
90	20 #	17.7	
135	-32 #	17.7	
180	-23 #	17.7	
225	- 3 #	17.7	
270	13 #	17.7	
315	-31 #	17.7	
# Evalu	ated for a HAAT of 30.5 Meter		-

United States of America and the United Mexican States concerning Frequency Modulation Broadcasting

in the 88 to 108 MHz band.

20. Is the proposed antenna location within 320 kilometers of the common border between the Unit States and Canada?	led Yes X No
If Yes, attach as an Exhibit a showing of compliance with all provisions of the Working Agreement of Allocation of FM Broadcasting Stations on Channels 201–300 under The Canada-United States (Agreement of 1947.	
21. If the proposed operation is for a channel in the range from channel 201 through 220 (88.1 through 91.9 MHz), or if this proposed operation is for a class D station in the range from Channel 2 through 300 (92.1 through 107.9 MHz), attach as an Exhibit a complete allocation study to establish lack of prohibited overlap of contours with other U.S. stations. The allocation study should include following:	21 <u>6</u>
 (a) The normally protected interference-free and the interfering contours for the proposed operation along all azimuths. (b) Complete normally protected interference-free contours of all other proposals and existing static to which objectionable interference would be caused. (c) Interfering contours over pertinent arcs of all other proposals and existing stations from who objectionable interference would be received. (d) Normally protected and interfering contours over pertinent arcs, of all other proposals and existing stations, which require study to show the absence of objectionable interference. (e) Plot of the transmitter location of each station or proposal requiring investigation, with identifying letters, file numbers and operating or proposed facilities. (f) When necessary to show more detail, an additional allocation study will be attached utilizing a matched allocation of kilometers and properly labeled longitude and latitude lines, shown across the entexhibit(s), Sufficient lines should be shown so that the location of the sites may be verified. (h) The name of the map(s) used in the Exhibit(s). 	ons nich ting call
22. With regard to any stations separated by 53 or 54 channels (10.6 or 10.8 MHz) attach as an Exhiptormation required in 1/ (separation requirements involving intermediate frequency (i.f.) interference)	
23.(a) is the proposed operation on Channel 218, 219, or 220?	Yes X No
(b) If the answer to (a) is yes, does the proposed operation satisfy the requirements of 47 C. Section 73.207?	F.R. Yes No
(c) If the answer to (b) is yes, attach as an Exhibit information required in 1/ regarding separa requirements with respect to stations on Channels 221, 222 and 223.	Exhibit No.
(d) If the answer to (b) is no, attach as an Exhibit a statement describing the short spacing(s) and how or they arose.	w it Exhibit No.

1/ A showing that the proposed operation meets the minimum distance separation requirements, include existing stations, proposed stations, and cities which appear in the Table of Allotments; the location and geographic coordinates of each antenna, proposed antenna or reference point, as appropriate; and distance to each from proposed antenna location.

SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 6)

(e)	If authorization pursuant to 47 C.F.R. Section 73.215 is requested, attach as an Exhibit a complete
	engineering study to establish the lack of prohibited overlap of contours involving affected stations.
	The engineering study must include the following:

Exhibit No.

- (1) Protected and interfering contours, in all directions (360), for the proposed operation.
- (2) Protected and interfering contours, over pertinent arcs, of all short-spaced assignments, applications and allotments, including a plot showing each transmitter location, with identifying call letters or file numbers, and indication of whether facility is operating or proposed. For vacant allotments, use the reference coordinates as transmitter location.
- (3) When necessary to show more detail, an additional allocation study utilizing a map with a larger scale to clearly show prohibited overlap will not occur.
- (4) A scale of kilometers and properly labeled longitude and latitude lines, shown across the entire exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified.
- (5) The official title(s) of the map(s) used in the exhibits(s).

24. Is the proposed station for a channel in the range from Channel 201 to 220 (88.1 through 91.9 MHz) and the proposed antenna location within the distance to an affected TV Channel 6 station(s) as defined in 47 CF.R. Section 73.525?	X Yes
If Yes, attach as an Exhibit either a TV Channel 6 agreement letter dated and signed by both parties or a map and an engineering statement with calculations demonstrating compliance with 47 C.F.R. Section 73.525 for each affected TV Channel 6 station.	Exhibit No.
25. Is the proposed station for a channel in the range from Channel 221 to 300 (92.1-107.9 MHz)?	Yes X
If Yes, attach as an Exhibit information required in 1/. (Except for Class B (secondary) proposals.)	Exhibit No.
26. Environmental Statement (See 47 C.F.R. Section 1.1301 et seq.)	
Would a Commission grant of this application come within Section 1.1307 of the FCC Rules, such that it may have a significant environmental impact?	Yes X
If you answer Yes, submit as an Exhibit an Environmental Assessment required by Section 1.1311.	Exhibit No.

CERTIFICATION

I certify that I have prepared this Section of this application on behalf of the applicant, and that after such preparation, I have examined the foregoing and found it to be accurate and true to the best of my knowledge and belief.

See Exhibit 8.

Name (Typed or Printed)	Relationship to Applicant le.g., Consulting Engineer
William A. Hamman	Consulting Engineer
Signature	Address linclude ZIP Codel
Wur v	Moffet, Larson & Johnson, Inc. 5203 Leesburg Pike, Suite 800 Falls Church, VA 22041
Date	Telephone No. linclude Area Codel
October 21, 1992	(703) 824–5660

If No, explain briefly why not.

NOTE: NOT DRAWN TO SCALE OVERALL HEIGHT: 216 m AMSL RADIATION CENTER: 211 m AMSL 48 m 43 m 18 m GROUND ELEVATION: 168 meters AMSL

EXHIBIT NO. 1

WMUL(FM)

HUNTINGTON, WEST VIRGINIA

VERTICAL PLAN SKETCH OF PROPOSED ANTENNA AND SUPPORT STRUCTURE

OCT., 1992

MOFFET, LARSON & JOHNSON, INC.

ENGINEERING REPORT

5203 Leesburg Pike Falls Church, Virginia 22041

West Virginia Board of Trustees Huntington, West Virginia

EXHIBIT 2

FURTHER RESPONSE TO PART 12 OF FCC FORM 340

No known proposed or authorized FM or TV transmitters, or broadcast radio stations are within 60 meters of the proposed antenna.

Tables 1 and 2 lists all the FM and TV stations within 10 kilometers of the proposed site. Receiver induced intermed is not expected to result from the proposed transmit facility and the stations listed on Tables 1 and 2.

The applicant accepts full responsibility, as specified in 47 C.F.R. 73.318, for the elimination of any objectionable blanketing interference.

Moffet, Larson & Johnson, Inc.

TABLE 1

Date: 10/21/92

Study Name

: WMUL - HUNTINGTON, WV

FM Stations within: 10 km

Coordinates

: N 38 25 26.0 W 82 25 39.0

Call	Location	Status Cha	File Number	ERP	HAAT Zn	Latitude	Longitude	Bear	Dist Owner/Applicant
WMUL	HUNTINGTON, WV	LIC c *201/	BLED 890914KA	1.15	-56 1	38 25 26.0	82 25 39.0	0.00	0.00 WEST VIRGINIA BOAR
WMEJ	PROCTORVILLE, OH	LIC *220/	BLED 860409KB	3.00	300 1	38 27 14.0	82 25 5.0	13.85	3.43 MARANATHA BROADCAS
WXVK	COAL GROVE, OH	LIC 246/	BLH 901119KD	3.00	472 1	38 25 27.0	82 32 4.0	270.22	9.34 OHIO VALLEY COMMUN
WKEEFM	HUNTINGTON, WV	LIC 2638	BLH 5460	53.0	560 1	38 23 35.0	82 28 24.0	229.37	5.27 ADVENTURE COMMUNIC
WTCRFM	HUNTINGTON, WV	LIC 2776	BLH 850627KH	50.0	491 1	38 25 11.0	82 24 6.0	101.62	2.30 ALPINE MEDIA, INC.

Moffet, Larson & Johnson, Inc.

TABLE 2

Date: 10/21/92

Study Name


: WMUL - HUNTINGTON, WV

TV Stations within: 10 km


Coordinates


: N 38 25 26.0 W 82 25 39.0

Call	Location	Status Chan	File Number	ERP HAAT Zn	Latitude	Longitude Be	ear Dist Owner/Applicant
W14BI	HUNTINGTON, WV	CPM c 14	BMPTTL920313JD	24.5 4	38 25 16.0	82 26 4.0 242	.95 0.68 CHAN. AMER. LPTV L
W17BH	HUNTINGTON, WV	LIC 17	BLTTL 911114JT	10.0 4	38 25 11.0	82 24 6.0 101	.62 2.30 NORTHEAST LPTV, INC
W19BK	HUNTINGTON, WV	LIC 19	BLTT 9205221N	9.80 4	38 25 17.0	82 23 47.0 95	.85 2.73 NATIONAL MINORITY
W55AT	HUNTINGTON, WV	LIC c 55	BLTT 8604011A	0.05 4	38 25 16.0	82 26 4.0 242	.95 0.68 CHANNEL AMERICA
WTSF	ASHLAND, KY	LIC 61+	BLCT 830509KF	1963. 621 2	38 25 11.0	82 24 6.0 101	.62 2.30 STURVAN ENTERPRISE



UNITED STATES
DEPARTMENT OF THE INTERIOR
OBOLOGICAL SURVEY





MOFFET, LARSON & JOHNSON, INC. CONSULTING TELECOMMUNICATIONS ENGINEERS

Two Skyline Place Suite 800

ENGINEERING REPORT

5203 Leesburg Pike Falls Church, Virginia 22041

West Virginia Board of Trustees Huntington, West Virginia

EXHIBIT 6-A

FURTHER RESPONSE TO PART 21 OF FCC FORM 340

Table 3 is a channel study of channel 201B1 from the proposed site. After a detail study of the stations shown on Table 3, it was concluded that the following stations would require further study:

- 1. WOHP(FM) Portsmount, Ohio; Channel 201A
- 2. WVPN(FM) Charleston, West Virginia; Channel 203B

Since the application for Point Pleasant, West Virginia is considered to be mutually exclusive, it was not studied.

Attached, as Exhibit 7-B is a map showing the pertinent coverage and interference contours between the stations listed above and the proposed operation. It can be seen on Exhibit 6-B that the proposal will not create interference to, or receive interference from the facilities listed above.

Table 4 is a tabulation of distances for the proposed operation used in constructing Exhibit 6-B. The distances to the other facilities are on file with the FCC.

Moffet, Larson, & Johnson, Inc.

Date: 10/21/92


TABLE 3

Study Name : WMUL(FM) - HUNTINGTON, WV

Channel : 201B1

Coordinates: N 38 25 26.0 W 82 25 39.0 Separations: FM Zone 1 - Educational

Call	City &	State St	at File	- number	Chan	ERP	HAAT	Znl	.at i	tude	Longit	tude	Bear	Dist	Req'd	Clear	Notes
														k	ilomete	rs	
WRFL	LEXINGTON	KY L	C BLED	880329KC	*201A	0.25	288	2 38	3 2	19.0	84 30	16.0	257.4	186.81	137.8*	49.05	
WQRP	WEST CARROLLT	N OH LI	C BLED	880928KC	*201A	1.60	288	1 39	42	59.0	84 15	24.0	312.9	213.65	137.8*	75.89	
WQRP	WEST CARROLLT	N OH CE	BPED	900629MR	*201A	4.00	295	1 39	42	59.0	84 15	24.0	312.9	213.65	137.8*	75.89	
NEW	CLARKSBURG	WV CF	BPED	911107MA	*201B	23.5	712	1 39	18	2.0	80 20	37.0	61.0	205.39	176.9*	28.53	
WMUL	HUNTINGTON	WV LI	C BLED	890914KA	*201A	1.15	-56	1 38	25	26.0	82 25	39.0	.0	.00	137.8*	-137.76	SHORT c
NEW	POINT PLEASAN	WV AP	P BPED	920327MH!	*201A	3.00	295	1 38	50	49.0	82 7	50.0	28.6	53.61	137.8*	-84.15	SHORT
WMRT	MARIETTA	OH LI	C BLED	1479	*202B1	9.20	205	1 39	25	7.0	81 26	32.0	37.3	139.63	99.3*	40.33	Comment
WOHP	PORTSMOUTH	OH LI	C BLED	920228KB	*202A	1.00	643	1 38	43	20.0	83 0	5.0	303.8	59.98	84.3*	-24.35	SHORT
WVPN	CHARLESTON	WV LI	C BLED	821021BI	*203B	50.0	298	1 38	22	32.0	81 39	25.0	94.3	67.53	65.2*	2.35	CLOSE
WXMF	MCARTHUR	ОН СР	ВРН	890112MH	254A	3.00	328	1 39	14	49.0	82 28	10.0	357.7	91.44	12.0	79.44	Comment
WXMF	MCARTHUR	OH AP	PM BMPH	920102ID	254A	6.00	328	1 39	8	59.0	82 35	36.0	350.0	81.85	12.0	69.85	Comment
WTUN	POCATAL ICO	WV CP	4 BMPH	900329ID	254A	3.00	328	1 38	23	48.0	81 38	38.0	92.3	68.51	12.0	56.51	Comment
WSIPFM	PAINTSVILLE	KY LI	BLH	891031KC	255C1	94.0	600	2 37	47	45.0	82 48	4.0	205.2	77.03	24.0	53.03	Comment



ENGINEERING REPORT

5203 Leesburg Pike Falls Church, Virginia 22041

West Virginia Board of Trustees Huntington, West Virginia

TABLE 4 (PAGE 1 OF 2)

DISTANCE TO PROPOSED CONTOURS

Maximum Effective Radiated Power 8.99 kW

9.54 dBk

Non-Directional Antenna

Antenna Radiation Center: 211. Meters AMSL

Bear			Ant					
Deg	ΑE	HAAT	Gain	ERP	ERP	Distances	to Contours	(km)
True	Meters	Meters	dB	dBk	kW	80. dBu	60. dBu	
0.0	243	-32 #	0.00	9.54	8.99	5.5	17.7	
45.0	219	-8 #	0.00	9.54	8.99	5.5	17.7	
90.0	191	20 #	0.00	9.54	8.99	5.5	17.7	
94.3	182	297#	0.00	9.54	8.99	5.5	17.7	
135.0	243	-32 #	0.00	9.54	8.99	5.5	17.7	
180.0	234	-23 #	0.00	9.54	8.99	5.5	17.7	
225.0	214	-3 #	0.00	9.54	8.99	5.5	17.7	
270.0	198	13 #	0.00	9.54	8.99	5.5	17.7	
303.8	239	-28%#	0.00	9.54	8.99	5.5	17.7	
315.0	242	-31 #	0.00	9.54	8.99	5.5	17.7	
Average	223	-12						

Notes:

Not Included in Average Elevation

[#] Evaluated for a HAAT of 30.5 meters

ENGINEERING REPORT

5203 Leesburg Pike Falls Church, Virginia 22041

West Virginia Board of Trustees Huntington, West Virginia

TABLE 4 (PAGE 2 OF 2)

DISTANCE TO PROPOSED CONTOURS

Maximum Effective Radiated Power 8.99 kW

9.54 dBk

Non-Directional Antenna

Antenna Radiation Center: 211. Meters AMSL

Bear			Ant					
Deg	ΑE	HAAT	Gain	ERP	ERP	Distances	to Conto	urs (km)
True	Meters	Meters	dB	dBk	kW	54. dBu	48. dBu	40. dBu
0.0	243	-32 #	0.00	9.54	8.99	26.0	40.8	78.1
45.0	219	-8 #	0.00	9.54	8.99	26.0	40.8	78.1
90.0	191	20 🛊	0.00	9.54	8.99	26.0	40.8	78.1
94.3	182	297#	0.00	9.54	8.99	26.0	40.8	78.1
135.0	243	-32 #	0.00	9.54	8.99	26.0	40.8	78.1
180.0	234	-23 #	0.00	9.54	8.99	26.0	40.8	78.1
225.0	214	-3 #	0.00	9.54	8.99	26.0	40.8	78.1
270.0	198	13 #	0.00	9.54	8.99	26.0	40.8	78.1
303.8	239	-287#	0.00	9.54	8.99	26.0	40.8	78.1
315.0	242	-31 #	0.00	9.54	8.99	26.0	40.8	78.1
	223	-12						

Notes:

[%] Not Included in Average Elevation
Evaluated for a HAAT of 30.5 meters

ENGINEERING REPORT

5203 Leesburg Pike Falls Church, Virginia 22041

West Virginia Board of Trustees Huntington, West Virginia

EXHIBIT 7-A

FURTHER RESPONSE TO PART 24 OF FCC FORM 340

Section 73.525(a)(1) of the FCC Rules defines a television Channel 6 Station affected by a non-commercial FM (NCE-FM) Channel 201 proposal as any station within 265 kilometers of the NCE-FM.

Table 5 lists all of the TV Channel 6 stations within 265 kilometers. It was determined that the proposed site falls outside all of the Grade B (47 dBu) contours of the stations listed on Table 5. FM Channel 201 is required to provide a 1.0 dB interference ratio. Therefore, a proposed FM interference contour of 48 dBu was employed towards the pertinent stations.

Attached, as Exhibit 7-B is a map which demonstrates the proposed 48 dBu contour will not overlap any of the pertinent TV Channel 6 stations.

Table 4 is a tabulation of distances for the proposed operation used in constructing Exhibit 7-B. The distances to the TV Channel 6 stations are on file with the FCC.

Moffet, Larson & Johnson, Inc.

TABLE 5

Date: 10/20/92

Study Name

: WMUL - HUNTINGTON, WV

TV Stations within: 265 km

Coordinates

: N 38 25 26.0 W 82 25 39.0

Call	Location	Status	Chan	File Number	ERP	HAAT Zn	Latitude	Longitude	Bear Dist	Owner/Applicant
WSYX	COLUMBUS, OH	LIC	6+	BLCT 2497	100.	530 1	40 1 2.0	83 1 11.0	344.12 184.1	3 ANCHOR MEDIA LTD.
WSYX	COLUMBUS, OH	APPM c	6+	BPCT 910211KG	100.	938 1	39 56 16.0	83 1 16.0	343.28 175.7	2 ANCHOR MEDIA LTD.
WVVA	BLUEFIELD. WV	LIC	6-	BMLCT 880106KJ	50.0	1220 1	37 15 21.0	81 10 55.0	139.51 169.7	9 DAILY TELEGRAPH PR